

# Atrauman®

Provides gentle, atraumatic wound care.<sup>[1,2]</sup>



# Atrauman<sup>®</sup>

When you simply need a wound contact layer

Provides gentle, atraumatic wound care.<sup>[1,2]</sup>



*“I scraped my knee badly while climbing. Luckily, the dressing is ideal for my sensitive skin.” [1,3,4]*

- Non-medicated ointment<sup>[5]</sup>
- Keeps the wound edges soft and supple allowing undisturbed granulation and epithelialisation<sup>[1,6]</sup>
- Allows exudation flow into secondary dressing<sup>[1,7,8]</sup>
- Suitable for patients with sensitive skin or sensitive to medication<sup>[1,3,4]</sup>




## Atrauman® Advantages

- Counteracts adhesion to the wound <sup>[1,9,10]</sup>
- Allows painless dressing changes <sup>[1,2]</sup>
- Allows close contact with the whole surface of the wound <sup>[1,10]</sup>
- Thin, soft, can be cut to size <sup>[1,6]</sup>



*“For wounds on sensitive skin, Atrauman® keeps the wound edges soft and supple.”<sup>[1,6]</sup>*



## Atrauman®

For the treatment of superficial acute (abrasions, lacerations, minor burns and scalds, skin tears, incisions and donor sites) and chronic wounds (ulcers).

Size	Dressings per pack	HARTMANN code	PIP code	NPC code
5 × 5 cm	10	499 510	369 7539	EKA000
5 × 5 cm	50	499 550	281 3012	EKA024
7.5 × 10 cm	10	499 513	369 7547	EKA020
7.5 × 10 cm	50	499 553	281 3038	EKA032
10 × 20 cm	30	499 536	281 3046	EKA036
20 × 30 cm	10	499 515	324 8697	EKA016

[1] Stephen-Haynes J (2009). The use of Atrauman non-adherent wound dressing in tissue viability. Br J Community Nurs. 14(3): S29-30, S32-4. [2] Burton F (2004). An evaluation of non-adherent wound-contact layers for acute traumatic and surgical wounds. J Wound Care. 13(9):371-3. [3] Data on file: 18\_0065\_02\_visual\_Report\_Final. [4] Harries, RL and Harding, KG (2015). Management of Diabetic Foot Ulcers. Current Geriatrics Reports (4) 3:265-276. [5] Data on file: 18\_17\_09\_Design\_Verification\_Ointment\_Mass. [6] Data on file: Design\_Verification\_Report\_Ointment\_Dressings\_15012019. [7] Gray D (2005). Managing highly exuding leg wounds. Forum wound care. [8] Karrer, S (2010). How to Treat Chronic Wounds. Dekubitus und ulcus cruris phasengerecht versorgen: Für jede Wunde die richtige Auflage. MMW-Fortschritte der Medizin. 152 (21):81-7. [9] Simka M (2005). [Time - Modern strategy of chronic wound management]. Time - Nowoczesna strategia leczenia ran przewlekłych. Polski przegląd chirurgiczny. 77: p. 748-760. [10] Thompson GL (2005). Case Study Atrauman: A descriptive evaluation by historical review and by one specific case history. Hartmann Ag WundForum.

### Ask about our wider wound care portfolio

Right Product | Right Wound | Right Time



Zetuvit® Plus



Zetuvit® Plus  
Silicone Border



HydroClean® plus

#### HARTMANN UK & Ireland

Unit P2 Parklands, Heywood Distribution Park, Pilsworth Road, Heywood OL10 2TT

UK: +44 (0) 1706 363200 | Ireland: +353 (0) 1800 937766 | Email: [info@uk.hartmann.info](mailto:info@uk.hartmann.info)

[www.hartmann.co.uk](http://www.hartmann.co.uk) | [www.hartmannirect.co.uk](http://www.hartmannirect.co.uk)

©2020 Paul Hartmann Limited. ® represents a trademark of Paul Hartmann Limited, a company registered in England and Wales (company number 01523121) WM-00079/19-GBipad



Going further  
for health